

WHMIS/US OSHA Material Safety Data Sheet for:
Carbon Steel Electrode PROSTAR S6

Section 1: MANUFACTURER/PREPARER INFORMATION & HAZARD WARNINGS

SIDERGAS SPA Viale Rimembranza # 17 37010 S. AMBROGIO (VERONA) ITALY	EMERGENCY PHONE N/R	INFORMATION PHONE N/R
	DATE ISSUED/REVISED Dec 8, 2005	LAST VALIDATED ON Aug 24, 2010

WHMIS HAZARD SYMBOLS & DEFINITIONS



Class D-1: Poisonous & infectious material, immediate & serious toxic effects
Class D-2: Poisonous & infectious material, other toxic effects

Section 2: HEALTH HAZARD DATA

ROUTES OF ENTRY/SIGNS & SYMPTOMS OF ACUTE EXPOSURE:

EYES: Arc rays can injure eyes. **SKIN:** Arc rays can burn skin. **INHALATION:** Overexposure to welding fumes may result in discomfort such as metal fume fever, dizziness, nausea, or dryness or irritation of nose, throat, or eyes. **INGESTION:** N/R. **OTHER:** Electric shock from arc welding equipment can kill.

Chronic Effects: Long-term overexposure to welding fumes can lead to siderosis (iron deposits in lung) and may affect pulmonary function. Manganese overexposure can affect the central nervous system, resulting in impaired speech and movement. Bronchitis and some lung fibrosis have been reported. **Carcinogens:** N/R. **Medical Conditions Aggravated by Exposure:** Preexisting respiratory problems (e.g. asthma, emphysema).

EMERGENCY & FIRST AID PROCEDURES:

EYES / SKIN / INHALATION / INGESTION: Call for medical aid. Employ first aid techniques recommended by the American Red Cross. If breathing is difficult, give oxygen; if not breathing, employ CPR (Cardiopulmonary resuscitation) techniques. In case of electrical shock, turn off power and follow recommended treatment. In call cases, call a physician.

Section 3: PREVENTATIVE MEASURES

Respiratory Protection: Use respirable fume respirator or air supplied respirator when welding in confined space or general work area where local exhaust or ventilation does not keep exposure below TLV.

Ventilation: Use enough ventilation, local exhaust at the arc, or both to keep fumes and gases from the worker's breathing zone and the general area. Train welder to keep his head out of the fumes.

Gloves: Welder's gloves. **Eye Protection:** Wear helmet or use face shield with filter lens shade number 12 or darker. Shield others by providing screens and flash goggles. **Other Protective Equipment:** Wear hand, head, and body protection, which help to prevent injury from radiation, sparks or electrical shock. At a minimum this may include arm protectors, aprons, hats, shoulder protection, as well as dark substantial clothing.

Work/Hygienic Practices: Avoid inhalation of fumes. Use industrial hygiene monitoring to ensure that use of this material does not create exposures which exceed PEL/TLV.

Handling and Storing: Train welder not to permit electrically live parts or electrodes to contact skin, or clothing or gloves if they are wet. Insulate from work and ground. If welding must be performed in damp locations or with wet clothing, on metal structures, or when in cramped positions such as sitting, kneeling or lying, if there is a high risk of unavoidable or accidental contact with workpiece, use the following equipment: Semiautomatic DC Welder. DC Manual (Stick) Welder, or AC Welder with Reduced Voltage Control.

KEEP OUT OF THE REACH OF CHILDREN AND ANIMALS.

N/A=Not Applicable. N/E=Not Evaluated/Established. N/R=Not Reported by Manufacturer.

Continued on Page 2

Section 4: HAZARDOUS COMPONENTS & EXPOSURE LIMITS

Hazardous Component Name	CAS #	OSHA PEL	ACGIH-TLV	Other Limit	% Wt
Carbon steel wire		10 mg/M3	10 mg/M3	N/R	100
Nominal wire composition:					
§ Total manganese	7439-96-5	1 mg/M3 fume	0.2 mg/M3	3 mg/M3 STEL	< 2
§ Total copper including plated coating	7440-50-8	0.1 mg/M3 fume	0.2 mg/M3 fume	N/R	< 0.5
Iron	7439-89-6	10 mg/M3 iron oxide	10 mg/M3 5 mg/M3 iron oxide	N/R	balance

§ Indicates a toxic chemical subject to the reporting requirements of SARA Title III, Section 313.

† Indicates a chemical known to the State of California to cause cancer, birth defects or other reproductive harm per Proposition 65.

Section 5: PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point:	N/A	Specific Gravity:	N/A
Vapor Pressure:	N/A	Percent Volatile:	N/A
Vapor Density (Air=1):	N/A	Evaporation Rate:	N/A
Solubility in Water:	N/A	pH:	N/A
Appearance/Odor:	Carbon steel electrodes.		

Section 6: FIRE & EXPLOSION HAZARD DATA

Flash Point (Method):	N/A	Flammable Limits, LEL/N/A	UEL: N/A
Extinguishing Media:	N/A		

Special Firefighting Procedures: Non flammable. Welding arc and sparks can ignite combustible and flammable products.

Unusual Fire and Explosion Hazards: N/A

Section 7: REACTIVITY DATA

Stability: Stable. **Hazardous Polymerization:** Will not occur. **Conditions to Avoid:** N/R. **Incompatibility:** N/R. **Hazardous Decomposition or Byproducts:** Welding fumes and gases cannot be classified simply. The composition and quantity of both are dependent upon the metal being welded the process, procedure and electrodes used. Reasonably expected fume constituents of this product would include: Primarily iron oxide; secondarily complex oxides of copper, manganese and silicon when used with gas shielding. Gaseous reaction products may include carbon monoxide and carbon dioxide. Ozone and nitrogen oxides may be formed by the radiation.

Section 8: SPILLS, DISPOSAL & ADDITIONAL INFORMATION

Spill/Leak Procedures: Prevent waste from contaminating surrounding environment.

Waste Disposal: Discard any product, residue, disposable container, or liner as ordinary waste in an environmentally acceptable manner.

Additional Information: N/R

The information contained in this EndUser Material Safety Data Sheet™ has been compiled by MSDS Rx from original manufacturer's data. Efforts have been made by MSDS Rx to check for completeness and accuracy. MSDS Rx and no other entity is responsible for any variations between the original manufacturer's data sheet and the content of the EndUser MSDS™. Since the conditions under which this information may be applied are beyond our control, neither the manufacturer nor MSDS Rx assumes any liability for any results or effects of its use or application. E&OE.